

Vertigoheel®

Обрети баланс!

Эффективное и натуральное средство
для пациентов
с хроническим головокружением



Vertigoheel®

Обрети баланс!

Эффективное и натуральное средство
для пациентов
с хроническим головокружением



Вертигохель®
снижает интенсивность приступов вертиго более чем на 70%³

Вертигохель®
не менее эффективен в сравнении с бетагистином

Дизайн исследования


Рандомизированное, многоцентровое, двойное слепое клиническое исследование с параллельными группами, проведенное со 119 пациентами с симптомами острого или хронического вертиго различной этиологии

* диаграмма составлена по материалам литературного источника (3), данные после 6 недель исследования

Облегчение приступов головокружения различной этиологии при применении Вертигохеля®*3



Вертигохель®
– натуральный и эффективный многоцелевой препарат для лечения головокружения



Вертигохель® обладает превосходным профилем безопасности и переносимостью при отсутствии лекарственных взаимодействий с другими препаратами



Не обладает седативным эффектом



Превосходный профиль безопасности³⁻⁸



Данные о лекарственных взаимодействиях с другими препаратами отсутствуют



Более чем 45-летний опыт применения в Германии

Вертигохель® – удобен в применении

Вертигохель® можно применять в течении длительного времени по рекомендации лечащего врача, при необходимости курс лечения можно повторить.

по 10 капель
3 раза в сутки

по 1 таблетке
3 раза в сутки



Vertigoheel®

Обрети баланс!

Для пациентов с хроническим головокружением



- Вертигохель® снижает частоту, продолжительность и интенсивность приступов вертиго на более чем 70%³
- Вертигохель® хорошо изучен с клинической точки зрения и включен в клинические рекомендации Германии и Испании¹⁻²
- Вертигохель® может применяться для лечения любых типов вертиго и в течение длительного времени
- Вертигохель® обладает превосходными профилем безопасности и переносимостью при отсутствии лекарственных взаимодействий с другими препаратами³⁻⁸
- Вертигохель® характеризуется особой рецептурой на основе натуральных компонентов, обладающих синергетическим действием



Vertigoheel Summary of Product Characteristics

Vertigoheel: Tablets • Oral drops

Compositions: Tablets: 1 tablet (301.5 mg) contains: Active ingredients: Ambra grisea D6 30.0 mg, Anamirta cocculus D4 210.0 mg, Conium maculatum D3 30.0 mg, Petroleum rectificatum D8 30.0 mg. Excipients: Magnesium stearate 1.5 mg. Contains lactose. **Oral drops:** 100 g contain: Ambra grisea D6 10.0 g, Anamirta cocculus D4 70.0 g, Conium maculatum D3 10.0 g, Petroleum rectificatum D8 10.0 g. Excipients: Contains 35 vol.-% alcohol. **Indications: Tablets, oral drops:** Vertigo/dizziness of various origins; mild cognitive impairment (MCI) such as lack of concentration and forgetfulness. **Contraindications: Tablets, oral drops:** Known allergy (hypersensitivity) to one or more of the ingredients. **Special warnings and special precautions for use: Tablets:** Patients with rare hereditary problems of galactose intolerance, Lapp lactase deficiency or glucose-galactose malabsorption should not take this medicinal product. **Oral drops:** This medicinal product contains 35 vol.-% ethanol (alcohol). **Side effects: Tablets:** Like all medicinal products, homeopathic medicines may cause side effects. In isolated cases transient skin allergic reactions have been reported. The frequency of these effects is not known. **Oral drops:** Like all medicinal products, homeopathic medicines may cause side effects. In isolated cases transient symptoms of gastrointestinal discomfort and nausea have been reported. The frequency of these effects is not known. **Interactions with other medicinal products:** No interactions have been reported, and none are expected due to the homeopathic dilutions. **Pregnancy and lactation: Tablets, oral drops:** No specific data on pregnancy and lactation are available. Homeopathic dilutions of the substances present in this medicinal product are not known to be toxic during pregnancy or lactation. No adverse effects have so far been reported. **Effect on ability to drive a vehicle or operate machines: Tablets, oral drops:** No effects on the ability to drive and use machines have been reported, and none are expected due to the homeopathic dilutions. **Dosage:** Standard dosage: Adults (and children 12 yrs. and older): 1 tablet 3x daily or initial dosage: Adults (and children 12 yrs. and older): 1 tablet every ½ to 1 hr., up to 12x daily, and then continue with standard dosage. **Method of Administration:** Preferably allow the tablet to dissolve in the mouth, and then swallow. For children it is possible to crush the tablet and add to a small amount of water. This medicine should be taken away from meals. **Oral drops: Standard dosage:** Adults (and children 12 yrs. and older): 10 drops 3x daily. **Acute or initial dosage:** Adults (and children 12 yrs. and older): 10 drops every ½ to 1 hr., up to 12x daily, and then continue with standard dosage. **Method of Administration:** This medicine should be taken away from meals. For children, add drops to a small amount of water. **Overdose: Tablets, oral drops:** No cases of overdose have been reported, and none are expected due to the homeopathic dilutions. **Package sizes: Tablets (9754)** Packs containing 50, 100 and 250 tablets. **Oral drops (9809)** Packs containing 30 ml and 100 ml.

Данная брошюра предназначена исключительно для образовательных целей и содержит полезную медицинскую информацию, основывающуюся на научных данных. Содержащиеся в ней сведения и/или рекомендации по лечению не должны рассматриваться в качестве специфического лечения, подходящего каждому пациенту, или быть истолкованы как альтернатива или метод, противоречащий предписаниям профессиональных медицинских работников, например, лечащего врача или другого квалифицированного медицинского работника. Компания Heel не несет ответственности за любой ущерб, причиненный или инкриминируемый, прямым или косвенным способом, вследствие использования предоставленной в данной брошюре информации. Обращаем Ваше внимание на то, что наименования препаратов, показания и/или рецептуры могут отличаться в различных странах, соответственно, в листовках-вкладышах будет указана специфическая для данной страны информация.

За дополнительной информацией обращайтесь к нам по адресу:

«Биологише Хайльмиттель Хеель ГмБХ» (Biologische Heilmittel Heel GmbH)

Д-р Рекевек-Штрассе 2-4, 76532 Баден-Баден, Германия

(Dr.-Reckeweg-Straße 2-4, 76532 Baden-Baden Germany)

References

1. Abholz H-H, Jendryk S. 2016. Akuter Schwindel in der Hausarztpraxis S3-Leitlinie. http://www.degam.de/files/Leitlinien-Inhalte/Dokument/DEGAM_S3-Leitlinien/057-20_Akuter_Schwindel%20in%20der%20Hausarztpraxis_053-010_Akuter_Schwindel%20in%20der%20Hausarztpraxis.pdf, accessed on Sep 29, 2016.
2. Gomáriz M, Sociedad Española de Médicos de Atención Primaria (SEMERGEN); IMC, S.A., Madrid, ISBN: 978-84-7617-296-7.
3. Weiser M, Strösser W, Klein P. Homeopathic vs. conventional treatment of vertigo: a randomized double-blind controlled clinical study. Arch Otolaryngol Head Neck Surg 1998; 124(8):879-83.
4. Issing W, Klein P, Weiser M. The homeopathic preparation Vertigoheel versus Ginkgo biloba in the treatment of vertigo in an elderly population: a double-blinded, randomized, controlled clinical trial. J Altern Complement Med 2005;11(1):155-160.
5. Weiser M, Strösser W. Behandlung des Schwindels. Vergleichsstudie Homöopathikum vs. Betahistin. Der Allgemeinarzt 2000;22(13):692-694.
6. Wolschner U, Strösser W, Weiser M, Klein P. Treating vertigo – combination remedy therapeutically equivalent to dimenhydrinate: results of a reference-controlled cohort study. Biol Med 2001;30:184-190.
7. Seeger-Schellerhoff E & Corgioli M. Effectiveness and tolerability of the homeopathic treatment Vertigoheel for the treatment of vertigo in hypertensive subjects in general clinical practice. Eur J Integ Med 2009;1(4):231.
8. Schneider B, Klein P, Weiser M. Treatment of vertigo with a homeopathic complex remedy compared with usual treatments: a metaanalysis of clinical trials. Arzneim-Forsch/Drug Res 2005;55(1):23-29.
9. Heinele H, et al. The low-dose combination preparation Vertigoheel activates cyclic nucleotide pathways and stimulates vasorelaxation. Clin Hemorheol Microcirc. 2010;46(1):23-35.
10. Reckeweg HH. Materia Medica Homeopathica Antihomotoxica. 4th ed. Aurelia, Baden-Baden, Germany, 2002.

Общую характеристику продукта (ОХП) необходимо адаптировать для каждой страны индивидуально. СМРС needs to be adapted locally

-Heel
Healthcare designed by nature